

| CODE | TITLE | APPLICATION / DESCRIPTION |
|---------|---|--|
| VTJCC01 | An Effective Privacy-Preserving Blockchain-Assisted Security Protocol for Cloud-Based Digital Twin Environment | Description : In this article, we first review a recently proposed two-factor authentication protocol for DT environments that utilizes the blockchain technology. Trace authority This entity is the trusted third party that is accountable for the generation of the system parameters and the partial private keys for the entities along with the participant's registration |
| VTJCC02 | Accelerating Finite Field Arithmetic for Homomorphic Encryption on GPUs | Description: Fully Homomorphic Encryption (FHE) is a rapidly developing technology that enables computation directly on encrypted data, making it a compelling solution for security in cloud-based systems. In addition, modern FHE schemes are believed to be resistant to quantum attacks |
| VTJCC03 | Achieving Decentralized and Dynamic SSO-Identity Access Management System for Multi- Application Outsourced in Cloud | Description: As the growing demand in outsourcing system resources such as data and applications to the cloud platform, implementing traditional SSO models to support efficient and fine-grained access control for multi-user and multi-application environment is not practical |
| VTJCC04 | Defense Against Software-Defined Network Topology Poisoning Attacks | Description: The controller learns network topologies and makes traffic forwarding decisions. However, some serious vulnerabilities are gradually exposed in the topology management services of current SDN controller designs |
| VTJCC05 | Attribute-Based Approaches for Secure Data Sharing in Industrial Contexts | Description : Access control, NGAC, fine-grained, attribute-based, encryption, attribute-based access control (ABAC), secure data sharing: The paper concludes by identifying knowledge gaps to provide direction to future research on attribute-based approaches for secure data sharing in industrial contexts. |
| VTJCC06 | Authenticated Distributed Group Key Agreement Protocol Using Elliptic Curve Secret Sharing Scheme | Description: Secret sharing scheme (SSS), key agreement protocol (KAP), group key agreement protocol (GKAP), elliptic curve (EC), elliptic curve discrete logarithm (ECDLP): Elliptic curves are quite popular in resource-constrained environments to produce enough security with smaller key sizes. |
| VTJCC07 | Resource Scheduling in Edge Computing: Architecture, Taxonomy, Open Issues and Future Research Directions | Description : This procedure may completely exploit the edge server's computational and storage capabilities and efficiently execute computing operations. However, transferring all the overflowing computing tasks to an edge server leads to long processing delays and surprisingly high energy consumption for numerous computing tasks. |
| VTJCC08 | A Secure Cloud-Edge Collaborative Fault-Tolerant Storage Scheme and Its Data Writing Optimization | Description: Designing a secure and efficient fault-tolerant storage scheme is urgent and indispensable. Unfortunately, existing fault-tolerant schemes for ESS still retain various drawbacks, including: high edge storage overhead, hard to protect the edge data privacy and low data writing performance. |
| VTJCC09 | A Pairing-Free Certificateless Searchable Public Key Encryption Scheme for Industrial Internet of Things | Description: IIoT data is stored on the cloud service provider's server, the data must be encrypted to protect the user's privacy. However, the encrypted data faces the search problem, which is usually solved by Public Key Encryption with Keyword Search (PEKS). |

1



| CODE | TITLE | APPLICATION / DESCRIPTION | _ |
|---------|---|--|------------------|
| VTJCC10 | Key Reduction in Multi-Key and Threshold Multi-Key Homomorphic Encryptions by Reusing ErrorKey Reduction in Multi-Key and Threshold Multi-Key Homomorphic | | |
| VTJCC11 | CACPA: Credible Alliance-Chain- Based Public Auditing Scheme for Cloud Storage | Description: Blockchain, cloud storage, public auditing, third-party auditor. Smart contracts to deal with transactions related issues, such as dispute resolution: Any behavior of a TPA node will be inspected by other nodes to maintain good reputation of the group, and malicious behaviors will bring severe punishments. | ŋ |
| VTJCC12 | An Efficient Post-Quantum Attribute- Based Encryption Scheme Based on Rank Metric Codes for Cloud Computing | ensuring data privacy and confidentiality in the realm of cloud computing. | |
| VTJCC13 | A User-Priorities-Based Strategy for Three-Phase Intelligent Recommendation and Negotiating Agents for Cloud Services | Description: The Recommender system recommends CSP as per users' priorities, which eases the filtration process. The negotiation process provided by IRNAM ensures that users' choices are prioritized with maximum jobs to CSP. IRNAM keeps track of the most critical metrics and can reach decisions quickly and for the best possible deal | LOUD CC |
| VTJCC14 | Secure Cloud-Aided Approximate Nearest Neighbor Search on High- Dimensional Data | Description : One way to handle this problem is to outsource the heavy computing of high-dimensional large-scale data to cloud servers. However, when a cloud server responsible for computing tasks is untrustworthy, some security issues may arise. In this study, we proposed a cloud server-aided LSH scheme and the application model | |
| VTJCC15 | Enabling Balanced Data Deduplication in Mobile Edge Computing | Description: Edge storage system (ESS), is comprised by connected edge servers in a specific area, which ensures low-latency services for users. However, high data storage overheads incurred by edge servers' limited storage capacities is a key challenge in ensuring the performance of applications deployed on an ESS. Data deduplication, as a classic data reduction technology, has been widely applied in cloud storage systems. | IEEE |
| VTJCC16 | Solving Task Scheduling Problem in Mobile Cloud Computing Using the Hybrid Multi-Objective Harris Hawks Optimization Algorithm | Description : Mobile devices can run a wide range of programs, and they all require more and more processing power. Due to their limited resources, mobile devices often make use of cloud computing 's offloading features to do more complex tasks. The offloading problem in Mobile Cloud Computing (MCC) is the task scheduling problem, which entails deciding where to dump work to maximize its value | - |
| VTJDM01 | Delegate and Verify the Update Keys of Revocable Identity-Based Encryption | | 2023 - MINING |
| VTJDM02 | A Novel Construction of Updatable Identity Based Hash Proof System and Its Applications | Description: In the previous works, to further provide the continuous leakage resilience for the identity-based encryption scheme, a new cryptography primitive, called updatable identity-based hash proof system (U-IB-HPS), was proposed. perfect key update function or the corresponding security with tight reduction relies on a non-static complexity assumption | ≝⊴ |

DATA MINING



| CODE | TITLE | APPLICATION / DESCRIPTION | |
|---------|--|--|------------------|
| VTJDM03 | Early Predicting of Students Performance in Higher Education | Description : Students learning performance is one of the core components for assessing any educational systems. Student's performance is very crucial in tackling issues of learning process and one of the important matters to measure learning outcomes | |
| VTJDM04 | A Diabetes Monitoring System and Health-Medical Service Composition Model in Cloud Environment | Description: Diabetes is a common chronic illness or absence of sugar in the blood. The early detection of this disease decreases the serious risk factor. Nowadays, Machine Learning based cloud environment acts as a vital role in disease detection | |
| VTJDM05 | A Rankable Boolean Searchable Encryption Scheme Supporting Dynamic Updates in a Cloud Environment | Description: Searchable encryption, Boolean search, rankable search, dynamic updating, privacy preserving, cryptography: Security analysis proofs that our scheme can ensure security in the known ciphertext model and the known background model. | |
| VTJDM06 | Improving Shopping Mall Revenue by Real-Time Customized Digital Coupon Issuance | Description: With the development of bigdata and deep learning technology, bigdata and deep learning technology have also been applied to the marketing field, which was a part of business administration. Customer churn management is one of the most important areas of marketing | DATA MINING |
| VTJDM07 | Accountable Clouds Through Blockchain | Description : We show that, through smart contracts, it is possible to create an unforgeable log that can be used for auditing and automatic Service Level Agreement (SLA) verification. As a practical case study, we consider Cloud storage services and define interaction protocols. | - DATA I |
| VTJDM08 | A Consent-Based Privacy-Compliant Personal Data-Sharing System | Description: Personal data is becoming increasingly valuable in business, as the insights that can be obtained from data processing continue to improve. However, it also can cause adverse effects on individuals. To improve data quality while satisfying privacy compliance, companies | IEEE 2023 |
| VTJDM09 | Private Web Search Using Proxy- Query Based Query Obfuscation Scheme | Description : Private web search, web search privacy, query obfuscation, proxy-queries based web search, and information retrieval: we present a novel PWS scheme that uses a proxy-query-based query obfuscation approach. Proxy-query-based query obfuscation is a new study topic in PWS research | ш |
| VTJDM10 | False-Bottom Encryption: Deniable Encryption from Secret Sharing | Description: We show how to implement a deniable encryption method from secret sharing. Unlike the related concept of honey encryption, which employs a preprocessing step in symmetric encryption to re-shape the distribution of a plaintext towards making the real plaintext indistinguishable from a ciphertext for a fake message | |
| VTJDM11 | Mining Insights from Esports Game Reviews with an Aspect-Based Sentiment Analysis Framework | Description: To ensure the quality of Esports game services and establish a balanced gaming environment, it is essential to consider the opinions of unprofessional players and comprehensively analyze their reviews. This study proposes a new framework for analyzing Esports reviews of players | |



| CODE | TITLE | APPLICATION / DESCRIPTION | |
|---------|---|---|------------------------------|
| VTJDM12 | PRUS: Product Recommender System Based on User Specifications and Customers Reviews | Description : The main contribution of this research is the inclusion of negative polarity in the analysis of product rankings alongside positive polarity. To account for reviews that contain many sentiments and different elements, the suggested method first breaks them down into sentences | |
| VTJDM13 | Privacy Preserving and Serverless Homomorphic-Based Searchable Encryption as a Service (SEaaS) | Description: This investigates the Accessible Encryption as a Help (SEaaS) and presents a creative protection safeguarding Various Watchword Accessible Encryption (MKSE) plot inside a serverless cloud climate, tending to already neglected security objectives. The proposed plot utilizes probabilistic encryption and influences completely homomorphic encryption to empower procedure on ciphertext, working with look through on scrambled information. | DNIN |
| VTJDM14 | Security-Aware Provenance for Transparency in IoT Data Propagation | Description: This paper tackles the challenge of ensuring accurate and secure data delivery in Internet of Things (IoT) systems, where end-users often lack transparency about potential data manipulation risks. | DATA MINING |
| VTJDM15 | Supporting Schema References in Keyword Queries Over Relational Databases | Description: This paper introduces Lathe, a novel Relational Keyword Search (R-KwS) system designed to empower naive or informal users in exploring and retrieving information from relational databases without requiring knowledge of schema details or query languages | I |
| VTJDM16 | Leakage-Resilient Anonymous Multi- Receiver Certificate-Based Key Encapsulation Scheme | Description : This refers to the scheme's ability to withstand information leakage. In the context of cryptography, leakage typically refers to unintended disclosure of secret information | IEEE 2023 |
| VTJDM17 | Normalized Storage Model Construction and Query Optimization of Book Multi-Source Heterogeneous Massive Data | Description: Systematic research and implementation were conducted to solve the problem of how to process, manage, and query multi-source heterogeneous massive book data in the metaverse, improving the utilization value and query efficiency of the data. This study utilized the semi-structured features of book text data to construct an extraction rule model for heterogeneous book data, and effectively extracted massive heterogeneous book information | |
| VTJNS01 | Data Secure De-Duplication and Recovery Based on Public Key Encryption with Keyword Search | Description : In this paper, we focus on how to achieve secure de- duplication and recover data in ciphertext for different users, and determine whether the indexes of public key searchable encryption and the matching relationship of trapdoor are equal in ciphertext to achieve secure de- duplication | ΥLIX |
| VTJNS02 | Analysis and Design of Secure Sampled-Data Control Subject to Denial-of-Service Attacks | Description: DoS attacks impose constraints on the CPS, where packets may be jammed between the sensor and controller by a malicious entity, potentially resulting in system instability and performance degradation | IEEE 2023 - Mork Security |
| VTJNS03 | A Data-Driven Smart Evaluation Framework for Teaching Effect Based on Fuzzy Comprehensive Analysis | Description: As consequence, this paper utilizes fuzzy comprehensive analysis to deal with this problem from the perspective of big data mining. In particular, it proposes a data-driven smart evaluation framework for teaching effect based on fuzzy comprehensive analysis | IEEE NFTWOR |



| CODE | TITLE | APPLICATION / DESCRIPTION | |
|---------|--|--|------------------|
| VTJNS04 | Offloading Mechanisms Based on Reinforcement Learning and Deep Learning Algorithms in the Fog Computing Environment | e : | JRITY |
| VTJNS05 | Automated Firewall Configuration in Virtual Networks | Description: This article focuses on packet filters, i.e., the most common firewall technology used in computer networks, and it proposes a new methodology to automatically define the allocation scheme and configuration of packet filters in the logical topology of a virtual network | NETWORK SECURITY |
| VTJNS06 | Privacy-Preserving Searchable Encryption Scheme Based on Public and Private Blockchains | Description: Private blockchain, public blockchain, access control, forward privacy, backward privacy, Privacy-Preserving Searchable Encryption (PPSE) : First, we store an encrypted index in a private blockchain while outsourcing corresponding encrypted documents to a public blockchain | - NETWO |
| VTJNS07 | A Data Deduplication Scheme Based on DBSCAN With Tolerable Clustering Deviation | Description: To protect data privacy, users prefer to store encrypted data in cloud servers. Cloud servers reduce the cost of storage and network bandwidth by eliminating duplicate copies. To address the potential internal data leakage problem, the concept of clustering deviation is proposed for the first time. We improve the DBSCAN algorithm to tolerate clustering deviation | EE 2023 |
| VTJNS08 | Multiuser Computation Offloading for Long-Term Sequential Tasks in Mobile Edge Computing Environments | | IE |
| VTJIM01 | Blockchain-Assisted Verifiable and Secure Remote Sensing Image Retrieval in Cloud Environment | Description: Secure retrieval of remote sensing images in an outsourced cloud environment garners considerable attention. Since the cloud service provider (CSP) is considered as a semi trusted third party that may return incorrect retrieval results to save computational resources or defraud retrieval fees for profit | PROCESSING |
| VTJIM02 | An Efficient Decentralized Identity Management System Based on Range Proof for Social Networks | Description : Decentralized identity, range proofs, blockchain, social network, privacy protection, Online social networks (OSNs): The security analysis shows that our protocol provides stronger privacy protection. We implement a system prototype on the blockchain for evaluation | |
| VTJIM03 | Applicable Image Security Based on Computational Genetic Approach and Self-Adaptive Substitution | Description: Image security, chaotic systems, computational methods, and genetic algorithm, Cryptographic Algorithms: This paper suggests a novel image encryption and decryption technique based on a computational genetic approach and self-adaptive chaotic substitution | 3 - IMAGE |
| VTJIM04 | Reversible data hiding in encrypted images with secret sharing and hybrid coding | | EEE 202 |



| CODE | TITLE | APPLICATION / DESCRIPTION |
|---------|---|---|
| VTJAW01 | LBA-EC: Load Balancing Algorithm Based on Weighted Bipartite Graph for Edge Computing | Description : The current edge computing architecture has the problems of scattered computing resources and limited resources of single computing node. When the edge node carries too many task requests, the make span of the task will be delayed. |
| VTJAW02 | A Multi-Objective Based Scheduling Framework for Effective Resource Utilization in Cloud Computing | Description: Cloud computing is a promising platform for running massive workflow applications based on a pay-per-use model. In cloud computing, the reduction of energy consumption and providing security to workflow scheduling are the key research areas |
| VTJAW03 | An LTE Authentication and Key Agreement Protocol Based on the ECC Self-Certified Public Key | |
| VTJAW04 | A Hybrid Framework for Ranking Cloud Services Based on Markov Chain and the Best-Only Method | Description: This study presents a new hybrid multiple-criteria decision- making (MCDM) framework for ranking cloud services based on Markov chains combined with the best-only method (BOM). The Markov chain is used to record and track the changes in the priorities of user requirements and determine their final values |
| VTJAW05 | An Integrated Optimization-Based Algorithm for Energy Efficiency and Resource Allocation in Heterogeneous Cloud Computing Centers | Description : This study proposes an optimized computing resource and energy management algorithm for computing centers with heterogeneous computing resources from the perspective of Green IT. |
| VTJAW06 | A Multi-Objective Bee Foraging Learning-Based Particle Swarm Optimization Algorithm for Enhancing the Security of Healthcare Data in Cloud System | Description: This presents opportunities for hackers to steal data, intercept data in transit, and deprive patients and healthcare providers of private information. Consequently, Security and privacy are the primary concerns that must be addressed for the healthcare organization to trust and adopt the cloud computing platform |
| VTJAW07 | A Distributed and Decentralized Certificateless Framework for Reliable Shared Data Auditing for FOG-CPS Networks | Description : Data auditing, provable data possession, shared data, This paper proposes a distributed and decentralized cryptography approach to enhance the security of key generation for group members. The scheme offers flexible user admission, provides efficient and secure shared group data auditing |
| VTJAW08 | Efficient Identity-Based Data Integrity Auditing with Key-Exposure Resistance for Cloud Storage | Description: To deal with this problem, we construct a novel and efficient identity-based data integrity auditing scheme with key-exposure resilience for cloud storage. This is achieved by designing a novel key update technique, which is fully compatible with BLS signature used in identity-based data integrity auditing |
| VTJAW09 | Enhancing Secure Communication in the Cloud Through Blockchain Assisted-CP-DABE | |



| CODE | TITLE | APPLICATION / DESCRIPTION | |
|---------|--|--|--------------------|
| VTJAW10 | Multi-Keywords Searchable Attribute-Based Encryption with Verification and Attribute Revocation Over Cloud Data | Description : Aiming at the problems of inefficiency, excessive computation in the search process, and only supporting single-keyword search in most attribute-based searchable encryption schemes, first, we package multiple keywords into a polynomial to realize multi-keyword search | |
| VTJAW11 | Dual-Phase Resource Allocation Algorithm in Software-Defined Network (SDN) Enabled Cloud | Description: Distributed networks, power management, network performance, Quality of Service, increasingly utilized to develop more adaptive and intelligent resource management models. However, given the dynamic nature of SDN cloud environments, rapid decision-making during VM allocation is essential to prevent network delays. | |
| VTJAW12 | A Personal Privacy Data Protection Scheme for Encryption and Revocation of High-Dimensional Attribute Domains | Description: The proposed scheme is made up of three components. Firstly, Fast High-dimensional Attribute Domain-based Message Encryption (HAD-FME) is proposed to improve data security and reduce computational cost. Secondly, an Attribute Revocation Mechanism Based on Sentry Mode (SM-ARM) is designed in combination with smart contracts | VICES |
| VTJAW13 | Dynamic AES Encryption and Blockchain Key Management A Novel Solution for Cloud Data Security | Description: This approach significantly enhances file-level security, curtailing an attacker's ability to decrypt multiple files even if a key is compromised. The second phase introduces blockchain technology, where keys are securely stored with accompanying metadata, bolstering security and data integrity. Elliptic Curve Cryptography (ECC) public key encryption enhances security during transmission and storage, while also facilitating secure file sharing. | MAZON WEB SERVICES |
| VTJAW14 | Cloud Based Multi-Robot Task Scheduling Using PMW Algorithm | Description : There is a growing need for robots to perform complex tasks autonomously. Multi-robot environment becomes complex as there are multiple factors need to be addressed simultaneously which require fast computation and more space. Using cloud computing platform could be one of the optimal solution for this problem | IAZON V |
| VTJAW15 | Publicly Verifiable and Efficient Fine- Grained Data Deletion Scheme in Cloud Computing | Description: Between data ownership and management, users lose the direct control over their outsourced data, resulting in plenty of security and privacy problems. In this paper, we focus on the problem of verifiable outsourced data deletion, which is important but received less attention in industry and academia | 4 - |
| VTJNW01 | Task Scheduling in Cloud Computing: A Priority-Based Heuristic Approach | Description : The performance of the proposed model is compared in terms of overall waiting time and CPU time against some existing techniques like BATS, IDEA, and BATS+BAR to determine the efficacy of our proposed algorithms. Additionally, three distinct scenarios have been considered to demonstrate the competency | IEEE 2023 |
| VTJNW02 | E N - L A K P : L i g h t w e i g h t Authentication and Key Agreement Protocol for Emerging Networks | Description: Software Defined Networking (SDN) and Wireless Sensor Networks (WSNs) will be developed and deployed to improve computing facilities. Micro-electromechanical system (MEMS) technologies advance, and WSNs gain in popularity because they provide real-time monitoring solutions that are both economically and practically viable | |
| VTJNW03 | Threat Model and Defense Scheme for Side-Channel Attacks in Client-Side De-duplication | Description: In client-side de-duplication, if the cloud server detects that the user's outsourced data have been stored, then clients will not need to re-upload the data. However, the information on whether data need to be uploaded can be used as a side-channel, which can consequently be exploited by adversaries to compromise data privacy | |



| CODE | TITLE | APPLICATION / DESCRIPTION | |
|---------|---|--|-----------------|
| VTJNW04 | Dynamic Resource Allocation Using an Adaptive Multi-Objective Teaching-Learning Based Optimization Algorithm in Cloud | Description : To bridge the gap between frequently changing customer requirement and available infrastructure for the services, we propose a dynamic resource allocation strategy using an adaptive multi-objective teaching-learning based optimization (AMO-TLBO) algorithm in Cloud computing | NETWORKING |
| VTJNW05 | Intelligent Segment Routing: Toward Load Balancing with Limited Control Overheads | Description: The overheads can greatly reduce the forwarding efficiency for a large network, when segment headers become too long. To achieve the better of two targets, we propose the intelligent routing scheme for traffic engineering (IRTE), which can achieve load balancing with limited control overheads. | - m |
| VTJNW06 | A Fast Converging and Globally Optimized Approach for Load Balancing in Cloud Computing | Description: Cloud computing, load balancing, swarm intelligence, particle swarm optimization, greywolf optimization: A combined approach of GWO-PSO that capitalizes on the benefits of fast convergence and global optimization is proposed in this paper | IEEE 202 |
| VTJBC01 | Data Integrity Audit Scheme Based on Quad Merkle Tree and Blockchain | Description: Meanwhile, our scheme is based on the audit method of the quad Merkle hash tree, using the root of the quad Merkle hash tree to verify the integrity of data, which significantly improves computing and storage efficiency. Automated verification of auditing activities by deploying smart contracts on the blockchain | |
| VTJBC02 | Sec-Health: A Blockchain-Based Protocol for Securing Health Records | Description : We propose Sec-Health, a blockchain-based protocol that secures health records, addressing all of the main security and complementary properties defined in current regulations. We show that Sec-Health is a suitable solution by analyzing it under several attack scenarios and describing how it overcomes the problems of existing solutions | HAIN |
| VTJBC03 | | Description: A decentralized network utilizing end-to-end encryption eliminates the risk of data loss associated with centralized data control by enabling clients to transmit their files securely. The storage providers must prove that they have kept unaltered files in this network for this time | BLOCK CH |
| VTJBC04 | Secure and Lightweight Blockchain- Enabled Access Control for Fog- Assisted IoT Cloud Based Electronic Medical Records Sharing | Description : As for the advancement of IoT and cloud computing in healthcare, outsourcing encrypted Electronic medical records (EMRs) created by the aggregation of medical treatment applications and health data collected from IoT devices enables high accessibility, effective collaboration, and zero computational operation cost. | 2023 - B |
| VTJBC05 | Blockchain for Healthcare Management Systems: A Survey on Interoperability and Security | Description: Blockchain, DSL, health, interoperability, MDE, model, security, smart contracts, software architecture, Health Management Systems: This paper focuses on architectural mechanisms used to support the interoperability and security of Blockchain-based Health Management Systems | IEEE |
| VTJBC06 | Blockchain-Based Service-Oriented Architecture for Consent Management, Access Control, and Auditing | Description: Blockchain, consent management, fast healthcare information resources (FHIR), general data protection regulation (GDPR), service-oriented architecture (SOA), business process management (BPM): The experimental results show that blockchain can effectively support sharing consent and audit events among healthcare organizations, supervisory authorities, and individuals | |



| CODE | TITLE | APPLICATION / DESCRIPTION |
|---------|--|--|
| VTJBC07 | Dynamic Secure Access Control and Data Sharing Through Trusted Delegation and Revocation in a Blockchain-Enabled Cloud-IoT Environment | |
| VTJBC08 | EFPB: Efficient Fair Payment Based on Blockchain for Outsourcing Services in Cloud Computing | Description: Despite the maturity of cloud services a number of operational challenges remain. For example, how do we ensure trust between outsourcers and workers in a zero-trust environment? While a number of blockchain-based solutions that eliminate the reliance on trusted third parties have been presented, many of these existing approaches do not achieve robust fairness and/or support compatibility with other systems. |
| VTJBC09 | Blockchain-Based Process Quality Data Sharing Platform for Aviation Suppliers | Description: A detailed method for the implementation of quality and data security sharing is proposed to support the sharing platform's real-time and orderly operation. Build critical technologies such as manufacturing quality data block packaging models, data storage security sharing |
| VTJBC10 | Heart Disease Prediction Using Novel Quine McCluskey Binary Classifier (QMBC) | Description: Cardiovascular disease is the primary reason for mortality worldwide, responsible for around a third of all deaths. To assist medical professionals in quickly identifying and diagnosing patients, numerous machine learning and data mining techniques are utilized to predict the disease |
| VTJBC11 | A Novel Secure and Privacy- Preserving Model for OpenID Connect Based on Blockchain | Description : Open ID Connect (OIDC) is one of the most widely used delegated authentication protocols in web and mobile applications providing a single sign-on experience. It allows third-party applications, called Relying Parties (RP), to securely request and receive information about authenticated sessions and end-users from an identity provider |
| VTJBC12 | A Secure Big Data Storage Framework Based on Blockchain Consensus Mechanism with Flexible Finality | Description: Data security and integrity are becoming increasingly important as the volume of data being created and stored grows. A controlled third party that provides most of the existing big data security systems makes them susceptible to several security risks. By resolving current technology challenges, including scalability, non-tampering, trustworthiness, data governance, and transparency, blockchain technology plays a vital role and has a significant potential to safeguard personal information |
| VTJBC13 | Blockchain-Enabled Technique for Privacy Preserved Medical Recommender System | Description : The study introduces a Secure Recommendation and Training Technique (SERTT) to address privacy concerns related to the Internet of Medical Things (IoMT) recommender system data. This approach combines federated learning and blockchain methodologies to enhance the security and privacy of IoMT data |
| VTJBC14 | A Data Integrity Verification Scheme for Centralized Database Using Smart Contract and Game Theory | Description: Currently, many companies and institutions use centralized or distributed databases to store massive amounts of data. However, the use of untrusted centralized third-party auditors can result in security issues because these auditors may be malicious and tamper with or delete user data. This poses a significant challenge for ensuring the reliability of the data verification results |